

# QUESTIONS & ANSWERS

Kill your exam at first Attempt



1Z0-632 Dumps  
1Z0-632 Braindumps  
1Z0-632 Real Questions  
1Z0-632 Practice Test  
1Z0-632 dumps free



Oracle

# 1Z0-632

*PeopleSoft PeopleTools 8.5x Implementation Essentials*

<http://killexams.com/pass4sure/exam-detail/1Z0-632>



Question: 71

In this exhibit, identify two settings on the Internet tab of the Component Properties dialog box that apply to fluid components. (Choose two.)

The screenshot shows the 'Component Properties' dialog box with the 'Internet' tab selected. The 'Search Page' group box contains several settings: 'Primary Action' is set to 'Search', 'Default Search Action' is 'Update/Display', 'Default Search/Lookup Type' is 'Basic', and 'Allow Action Mode Selection' is checked. Below this is a table of links with their respective Message Set/Nbr values. The 'Toolbar' group box contains a list of actions, with 'Save', 'Cancel', 'Return to List', 'Next in List', 'Previous in List', 'Next Page in Component', 'Previous Page in Component', 'Hide Back Button', 'Disable Toolbar', 'Refresh', 'Notify', 'View WorkList', 'Next in WorkList', 'Previous in WorkList', 'Add', 'Update/Display', 'Update/Display All', and 'Correction' all checked. The 'Multi-Page Navigation' group box has 'Display Folder Tabs (top)' checked. The 'Processing Mode' group box has 'Deferred' selected. The 'Pagebar' group box has 'Copy URL Link', 'New Window Link', and 'Customize Page Link' checked.

Link	Message Set/Nbr
Link To Add Page	124 62
Link To Find Existing Value Page	124 63
Link To Realtime Search Page	124 63
Link To Keyword Search Page	124 433
Instructional Text	124 50

- A. In the Search Page group box: Primary Action
- B. In the Search Page group box: Instructional Text

- C. In the Pagebar group box: Help Link
- D. In the Toolbar group box: Notify
- E. In the Toolbar group box: Save
- F. In the Multi-Page Navigation group box: Display Folder Tabs (top)

Answer: AF

Reference: [https://docs.oracle.com/cd/E91187\\_01/pt855pbr2/eng/pt/tflu/task\\_SettingComponentPropertiesForFluidComponents.html](https://docs.oracle.com/cd/E91187_01/pt855pbr2/eng/pt/tflu/task_SettingComponentPropertiesForFluidComponents.html)

Question: 72

Which two statements are true about how PeopleCode on the SavePreChange and SavePostChange events is processed? (Choose two.)

- A. When placed at the component record level, such PeopleCode triggers a Save when a row is changed
- B. When placed at the component record level, such PeopleCode runs once per row when the user clicks Save
- C. When placed at the component record level, such PeopleCode runs once when the user clicks Save
- D. When placed at the component level, such PeopleCode triggers a Save when data on the page is changed
- E. When placed at the component level, such PeopleCode runs once when the user clicks Save
- F. When placed at the component level, such PeopleCode runs once per row when the user clicks Save

Answer: BD

Question: 73

You receive the following memo:

We need a new field to store skills. At the present time, we have identified five skills; however, this will likely increase in the future. Each skill will have a three-character code and a description. We want the skill to be searchable by the description.

How would you create this field?

- A. Create a three-character field for SKILL and add translate values for the initial five skills defined. When you add the field to the record, set it up as an alternate search key and translate table edit
- B. Create a three-character field for SKILL and then create a Skills table with two fields: SKILL and DESCR. When you add the field to the record, set it up as a prompt table edit referencing the Skills table
- C. Create a three-character field for SKILL and then create a Skills table with two fields: SKILL and DESCR. When you add the field to the record, set it up as an alternate search key and prompt table edit referencing the Skills table
- D. Create a three-character field for SKILL and add translate values for the initial five skills defined. When you add the field to the record, set it up as a translate table edit

Answer: D

Question: 74

You have a CUSTOMER\_CONTACT page that uses a subpage that groups commonly used fields. The subpage is also used on the VENDOR\_CONTACT page and the EMPLOYEE\_CONTACT page.

Customers have unanimously requested that the fields in the subpage be displayed on a grid format on the CUSTOMER\_CONTACT page, as opposed to the current display of individual edit boxes. Your product manager has asked you to identify a solution to this request that is the quickest, the most efficient, has the least impact on other pages, and is technically possible.

Which of these options best satisfies these requirements?

- A. Organize an effort to seek agreement from the owners of the VENDOR\_CONTACT page and the EMPLOYEE\_CONTACT page regarding your proposed addition of the grid control to the subpage, in addition to a testing plan and deployment plan.
- B. Modify just the CUSTOMER\_CONTACT page by inserting a grid control and dragging the subpage onto the grid
- C. Modify just the subpage by removing the edit boxes, adding a grid control, and then adding the equivalent fields to the grid control
- D. Modify just the CUSTOMER\_CONTACT page by removing the subpage, adding a grid control, and then adding the equivalent fields individually to the grid control

Answer: D

Question: 75

Select the record definition that is configured correctly.

A.

Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audt
1	COURSE	Char	Key	1	Asc		Yes	Yes	No	
2	EFFDT	Date	Key	2	Desc		No	No	No	
3	EFF_STATUS	Char	Key	3	Asc		No	No	No	
4	DESCR	Char	Alt		Asc		No	Yes	No	
5	COURSE_TYPE	Char					No	No	No	
6	LENGTH_DAYS	Nbr					No	No	No	
7	TRAINING_UNITS	Nbr					No	No	No	
8	ONSITE	Char					No	No	No	
9	INSTRUCTOR	Char					No	No	No	
10	APP_REL	Char					No	No	No	
11	TOOLS_REL	Char					No	No	No	
12	DESCRLONG	Long					No	No	No	

B.

Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audt
1	COURSE	Char	Key	1	Asc		Yes	Yes	No	
2	EFFDT	Date	Key	2	Asc		No	No	No	
3	EFF_STATUS	Char					No	No	No	
4	DESCR	Char	Alt		Asc		No	Yes	No	
5	COURSE_TYPE	Char					No	No	No	
6	LENGTH_DAYS	Nbr					No	No	No	
7	TRAINING_UNITS	Nbr					No	No	No	
8	ONSITE	Char					No	No	No	
9	INSTRUCTOR	Char					No	No	No	
10	APP_REL	Char					No	No	No	
11	DESCRLONG	Long					No	No	No	
12	TOOLS_REL	Char					No	No	No	

C.

COURSE_TBL (Record)											
Record Fields											Record Type
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audt	
1	COURSE	Char	Key	1	Asc		Yes	Yes	No		
2	EFFDT	Date	Key	2	Desc		No	No	No		
3	EFF_STATUS	Char					No	No	No		
4	DESCR	Char	Alt		Asc		No	Yes	No		
5	COURSE_TYPE	Char					No	No	No		
6	LENGTH_DAYS	Nbr					No	No	No		
7	TRAINING_UNITS	Nbr					No	No	No		
8	ONSITE	Char					No	No	No		
9	INSTRUCTOR	Char					No	No	No		
10	APP_REL	Char					No	No	No		
11	DESCRLONG	Long					No	No	No		
12	TOOLS_REL	Char					No	No	No		

D.

COURSE_TBL (Record)											
Record Fields											Record Type
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audt	
1	COURSE	Char	Key	1	Asc		Yes	Yes	No		
2	EFFDT	Date	Key	2	Desc		No	No	No		
3	EFF_STATUS	Char					No	No	No		
4	DESCR	Char	Alt		Asc		No	Yes	No		
5	COURSE_TYPE	Char					No	No	No		
6	LENGTH_DAYS	Nbr					No	No	No		
7	TRAINING_UNITS	Nbr					No	No	No		
8	ONSITE	Char					No	No	No		
9	INSTRUCTOR	Char					No	No	No		
10	APP_REL	Char					No	No	No		
11	TOOLS_REL	Char					No	No	No		
12	DESCRLONG	Long					No	No	No		

Answer: A

Question: 76

Review the following definition:



Select the correct PeopleCode statement to declare an object of the ErrorRow class.

- A. Component OCP:OCPUtilities: ErrorRow &NewObject
- B. Component &NewObject extends ErrorRow;
- C. Row OCP:OCPUtilities:ErrorRow &NewObject;
- D. &NewObject = create OCP:OCPUtilities:ErrorRow();
- E. &NewObject = Get (OCP:OCPUtilities:ErrorRow);
- F. Component OCP.OCPUtilities.ErrorRow &NewObject

Answer: A

Question: 77

View the exhibits.

Question Exhibit 1 Exhibit 2

PSU\_CUST\_PROD (Page)

Layout Order

Customer: NNNNN AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

Products Purchased |<< %d of %d >>|

PeopleSoft Product: [dropdown] AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

Database Platform: [dropdown]

Kick Off Date: [dropdown]

Anticipated Production Date: [dropdown]

Production Status: [dropdown]

Number of Employees [input]

Number of Clients [input]

**Question** **Exhibit 1** **Exhibit 2**

---

### Products Purchased

Enter any information you have and click Search. Leave fields blank for a list of all values.

**Find an Existing Value** **Add a New Value**

---

▼ **Search Criteria**

Customer:

Description:

**Case Sensitive**

**Search** **Clear** **Basic Search**  **Save Search Criteria**

Based on the page layout, what is wrong with the search page and how should you fix it?


- A. The Add actions should not be available; check the component definition for the Item Label**
- B. Include History and Correction should be displayed; check the Internet tab of the Component Properties dialog box**
- C. The Add action should not be available; check the Internet tab of the Component Properties dialog box**
- D. Include History and Correction should be displayed; check the Use tab of the Component Properties dialog box**
- E. The Add action should not be available; check the Use tab of the Component Properties dialog box**

Answer: D

Reference: [https://docs.oracle.com/cd/E57990\\_01/pt853pbh2/eng/pt/tpst/task\\_WorkingwithSearchPages-027de6.html#topofpage](https://docs.oracle.com/cd/E57990_01/pt853pbh2/eng/pt/tpst/task_WorkingwithSearchPages-027de6.html#topofpage)

Question: 78

A colleague needs to update a custom cascading style sheet (CSS) style for your team's fluid application. She has the style definition shown in this exhibit open in Application Designer, but isn't sure if she has opened the correct style definition and asks for your advice.



How do you know she does not have a fluid CSS style open?

- A. The fluid user interface does not use the Arial or the sans-serif fonts. The fluid user interface uses only the Lucida Grande and Helvetica Neue fonts
- B. In the fluid user interface, font color is not set on the style definition. The current branding theme is what determines the font color for the fluid user interface display
- C. The fluid user interface does not use absolute font sizes. Only relative font sizes apply to the dynamic nature of the fluid user interface
- D. The fluid user interface uses only free form style sheets, and this style sheet is a fixed from style sheet
- E. Fluid style sheets all have `_FL` appended to the style name

Answer: D

Reference: <http://technoeureka.blogspot.com/2018/03/applying-css-styling-to-field-values-on.html>

Question: 79

Examine this PeopleCode program excerpt:

```
class OCP_ROWSET extends Rowset

    property integer FilledRowCount get;
    method OCP_ROWSET(&strRecName As string, &strDataFld As string, &strGetOrCreate As
string);
    method InsertRow(&iRow As integer) Returns boolean;

end-class;
```

Select the three correct statements. (Choose three.)

- A. The OCP\_ROWSET method runs automatically whenever an object is instantiated from the OCP\_ROWSET class**
- B. OCP\_ROWSET is the constrictor method for the OCP\_ROWSET class**
- C. Executing the RO\_ROWSET method instantiates an object of the OCP\_ROWSET class**
- D. The OCP\_ROWSET method must initialize an object of the Rowset class**
- E. The OCP\_ROWSET method is added to the Rowset class, and, by extension, to any instances of the Rowset class**

Answer: ABD

Question: 80

Which three actions occur during the component build process? (Choose three.)

- A. Component record RowInit PeopleCode runs**
- B. Record field FieldFormula PeopleCode runs**
- C. Component record RowInsert PeopleCode runs**
- D. All component-level PeopleCode runs**
- E. Record field RowInsert PeopleCode runs**
- F. Record field RowInit PeopleCode runs**
- G. All rows in the record are loaded into the component buffer**

Answer: BCD

For More exams visit <https://killexams.com/vendors-exam-list>



*Kill your exam at First Attempt....Guaranteed!*