

QUESTIONS & ANSWERS

Kill your exam at first Attempt



Symantec

250-252

*Administration of Veritas Storage(R) Foundation 6.0
for Unix*

<https://killexams.com/pass4sure/exam-detail/250-252>



QUESTION: 98

When performing a dry run for deduplication, fsdedupadm may take a '-o threshold=percentage' argument. This argument will initiate an actual deduplication run when the metric reaches which given value?

- A. the percentage of file system disk usage
- B. the percentage of expected savings
- C. the percentage of duplicate file names
- D. the percentage of the dry run completed

Answer: B

QUESTION: 99

What is the default volume layout used by the vxassist command?

- A. layered
- B. striped
- C. mirrored
- D. concatenated

Answer: D

QUESTION: 100

Which command should be used to determine the existing Array Support Libraries (ASL) and supported disk arrays on an existing system?

- A. vxprint
- B. vxddladm
- C. vxdmpadm
- D. vxcheckasl

Answer: B

QUESTION: 101

Which command displays the number of paths to the disk DISK01?

- A. vxdisk listpath DISK01
- B. vxdisk getpath DISK01

- C. vxddladm getsubpaths DISK01
- D. vxdisk list DISK01

Answer: D

QUESTION: 102

What is a restriction for the volume relayout operation?

- A. The file systems must be unmounted.
- B. I/O to the file system must be stopped.
- C. The file system must be checked for consistency.
- D. The file systems must support online resizing.

Answer: D

QUESTION: 103

Which command will mirror an encapsulated boot disk?

- A. vxdisksetup
- B. vxbootadm
- C. vxrootadm
- D. vxdmpadm

Answer: C

QUESTION: 104

On a site-aware Veritas Storage Foundation 6.0 for UNIX system, which file contains the name of the site to which the host belongs?

- A. /etc/sites
- B. /etc/hosts
- C. /etc/vx/sites
- D. /etc/vx/volboot

Answer: D

QUESTION: 105

What will be the effect of reducing the compression block size by 50% when using vxcompress to compress files?

- A. double the amount of logical data per compressed extent
- B. double the amount of compressed data per compressed extent
- C. half the amount of logical data per compressed extent
- D. half the amount of compressed data per compressed extent

Answer: C

QUESTION: 106

What are two benefits of using Storage Checkpoints within Veritas Storage Foundation 6.0 for UNIX instead of file system snapshots? (Select two.)

- A. Transient
- B. read-only
- C. uses free space from parent file system
- D. persistent
- E. uses separate volume

Answer: C, D

QUESTION: 107

Refer to the exhibit.

v	appvol	-	ENABLED	ACTIVE	2097152	SELECT	appvol-04	fsgen
pl	appvol-04	appvol	ENABLED	ACTIVE	2097408	STRIPE	3/128	RW
sv	appvol-S01	appvol-04	appvol-L01	1	699136	0/0	2/3	ENA
v2	appvol-L01	-	ENABLED	ACTIVE	699136	SELECT	-	fsgen
p2	appvol-P01	appvol-L01	DISABLED	IOFAIL	699136	CONCAT	-	RW
s2	appdg02-01	appvol-P01	appdg02	766976	699136	0	emc0_dd8	ENA
p2	appvol-P02	appvol-L01	ENABLED	ACTIVE	699136	CONCAT	-	RW
s2	appdg04-02	appvol-P02	appdg04	0	699136	0	emc0_d10	ENA
p2	appvol-P03	appvol-L01	ENABLED	ACTIVE	699136	CONCAT	-	RW
s2	appdg07-02	appvol-P03	appdg07	0	699136	0	3pardata0_50	ENA
sv	appvol-S02	appvol-04	appvol-L02	1	699136	1/0	2/3	ENA
v2	appvol-L02	-	ENABLED	ACTIVE	699136	SELECT	-	fsgen
p2	appvol-P04	appvol-L02	ENABLED	ACTIVE	699136	CONCAT	-	RW
s2	appdg02-02	appvol-P04	appdg02	0	699136	0	emc0_dd8	ENA
p2	appvol-P05	appvol-L02	ENABLED	ACTIVE	699136	CONCAT	-	RW
s2	appdg05-02	appvol-P05	appdg05	0	699136	0	emc0_d11	ENA
p2	appvol-P06	appvol-L02	DISABLED	NODEVICE	699136	CONCAT	-	RW
s2	appdg08-02	appvol-P06	appdg08	0	699136	0	-	NDEV
sv	appvol-S03	appvol-04	appvol-L03	1	699136	2/0	2/3	ENA
v2	appvol-L03	-	ENABLED	ACTIVE	699136	SELECT	-	fsgen
p2	appvol-P07	appvol-L03	ENABLED	ACTIVE	699136	CONCAT	-	RW
s2	appdg03-02	appvol-P07	appdg03	0	699136	0	emc0_dd9	ENA
p2	appvol-P08	appvol-L03	DISABLED	NODEVICE	699136	CONCAT	-	RW
s2	appdg06-02	appvol-P08	appdg06	0	699136	0	-	NDEV
p2	appvol-P09	appvol-L03	ENABLED	ACTIVE	699136	CONCAT	-	RW
s2	appdg09-02	appvol-P09	appdg09	0	699136	0	3pardata0_52	ENA
dc	appvol_dco	appvol	appvol_dcl					
v	appvol_dcl	-	ENABLED	ACTIVE	67840	SELECT	-	gen
pl	appvol_dcl-01	appvol_dcl	DISABLED	NODEVICE	67840	CONCAT	-	RW
sd	appdg01-03	appvol_dcl-01	appdg01	699136	67840	0	-	NDEV
pl	appvol_dcl-02	appvol_dcl	ENABLED	ACTIVE	67840	CONCAT	-	RW
sd	appdg02-03	appvol_dcl-02	appdg02	699136	67840	0	emc0_dd8	ENA

The appvol volume contains a Veritas File System (VxFS) file system and is mounted to /app. The volume has experienced multiple disk failures. What is the state of the data on the mounted file system?

- A. unavailable
- B. corrupted
- C. partially available
- D. fully accessible

Answer: D

QUESTION: 108

Which switch needs to be added to the vx dg -g diskgroup adddisk disk_name command to force Veritas Volume Manager (VxVM) to take the disk media name of the failed disk and assign it to a replacement disk?

- A. -force
- B. -k
- C. -f
- D. -assign

Answer: B

QUESTION: 109

What happens when a mirrored volume is converted to RAID-5?

- A. All plexes of the mirrored volume are converted to RAID-5.
- B. One plex is converted to RAID-5 and all other plexes are removed.
- C. The number of plexes converted depends on how many columns the RAID-5 volume has.
- D. The number of plexes converted depends on the stripe unit size.

Answer: B

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!