

QUESTIONS & ANSWERS

Kill your exam at first Attempt



ACE001 Dumps
ACE001 Braindumps
ACE001 Real Questions
ACE001 Practice Test
ACE001 dumps free



Alfresco

ACE001


Alfresco Certified Engineer (ACSCE)

<http://killexams.com/pass4sure/exam-detail/ACE001>



Question: 119

The "QA Review" task is of type `activitiReviewTask`, this sets a task variable called `wf_reviewOutcome` with a value, either "Approve" or "Reject". What needs to be done to use this value to successfully chose the right sequence flow?



- A. The task variable needs to be copied to the execution level using a "complete" task listener on the "QA Review" task.
- B. The task variable needs to be copied to the execution level using a "take" listener on the sequence flow to the gateway.
- C. The task variable is automatically copied to the execution level on task completion by Activiti.
- D. The task variable needs to be added to the workflow package and saved to the repository.
- E. The task variable needs to be copied to the execution level using a "create" task listener on the "Notify Author" task.

Answer: A

Question: 120

Identify which of the following is NOT a default subsystem provided by Alfresco.

- A. Synchronization
- B. Quartz scheduler
- C. IMAP
- D. Authentication

Answer: B

Question: 121

Which of the following is NOT an out-of-the-box root scoped object in the Java Script API?

- A. space

- B. log**
- C. document**
- D. companyhome**

Answer: B

Web Scripting

In this section there are items requiring a response.

Question: 122

Identify the proper use of a metadata extractor.

- A. To extract content metadata to a file for importing.**
- B. To retrieve metadata from a document to be used in workflow.**
- C. To use data within a document as property values.**
- D. To use externally accessible data as metadata.**

Answer: C

Question: 123

Which FreeMarker expression would be used to access the presentation template that is being applied to the node?

- A. template**
- B. node.template**
- C. node.document**
- D. document**
- E. document.template**

Answer: A

Question: 124

In Share the DocumentLibrary defines a number of "action groups" which determine the actions shown to the user. The action group used is determined by:

- A. The default action group on the folder.**
- B. The aspects applied to the node.**
- C. The mime type of the node.**
- D. The status of the document.**
- E. The current user.**
- F. The view currently in use.**
- G. The type of node.**

Answer: FG

Question: 125

Share commonly uses asynchronous HTTP requests with callback functions to retrieve data from the repository. What is the primary advantage of using this approach in your own customizations?

- A. Data is automatically parsed into the correct format.**
- B. It reduces the number of round-trips to the server.**
- C. It does not require any client-side code.**

D. The initial page load time is reduced.

Answer: D

Question: 126

A web script has a JavaScript controller script named 'helloworld.get.js'. What is the correct name for the output template associated with the web script, which will return data in JSON format?

- A. helloworld.get.json.ftl**
- B. helloworld.get.json**
- C. helloworld.get.js.json**
- D. helloworld.get.ftl**

Answer: A

Question: 127

When configuring Share through share-config-custom.xml you can group fields using which element?

- A. <block>**
- B. <for-mode>**
- C. <form>**
- D. <set>**
- E. <group>**

Answer: D

Question: 128

Which of the following is one of the three basic permissions in the CMIS Domain Model?

- A. cmis:write**
- B. cmis:update**
- C. cmis:setcontent**
- D. cmis:delete**

Answer: A

Web Scripting

In this section there are items requiring a response.

Question: 129

Which two of the following statements are true about the differences between the Alfresco JavaScript API and the Alfresco FreeMarker API?

- A. Only JavaScript API allows the modification of nodes.**
- B. Only FreeMarker API allows the creation of nodes.**
- C. Only FreeMarker API allows the user to perform Lucene searches.**
- D. Only FreeMarker API allows access to workflows.**
- E. Only JavaScript API allows the creation of nodes.**

Answer: AE

Alfresco API

In this section there are items requiring a response.

Question: 130

Which of the following changes can NOT be made in the share-config-custom.xml file.

- A. Setting the labels for fields on the "Search" dialog.**
- B. Setting a label for a type on the "Change Type" dialog.**
- C. Changing the FreeMarker template that controls the display of a field.**
- D. Grouping fields into sets on the "Edit Metadata" page.**

Answer: B

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!