

QUESTIONS & ANSWERS

Kill your exam at first Attempt



C1000-004 Dumps
C1000-004 Braindumps
C1000-004 Real Questions
C1000-004 Practice Test
C1000-004 dumps free



IBM

C1000-004

IBM Curam SPM V7.X Application Developer



<http://killexams.com/pass4sure/exam-detail/C1000-004>

QUESTION: 61

When customizing out-of-the-box (OOTB) artifacts in RSA, which customization is compliant?

- A. Modifying relationships in place between OOTB classes.
- B. Assigning OOTB structs to other OOTB structs.
- C. Creating a new foreign key where the OOTB Entity is the child.
- D. Assigning a custom struct to an OOTB struct or entity.

Answer: A

QUESTION: 62

Which two of the following are valid subdirectories of a server component directory?

- A. configuration
- B. codetable
- C. database
- D. EJBserver
- E. message

Answer: B, E

QUESTION: 63

Examine this UIM code snippet:

```

<LIST>
  <FIELD LABEL="List.Title.Type" WIDTH="15">
    <CONNECT>
      <SOURCE NAME="SI_DISPLAY" PROPERTY="type"/>
    </CONNECT>
    <LINK PAGE_ID="Sample_viewCase">
      <CONNECT>
        <SOURCE NAME="SI_DISPLAY" PROPERTY="caseID"/>
        <TARGET NAME="PAGE" PROPERTY="caseID"/>
      </CONNECT>
    </LINK>
  </FIELD>
  ...
</LIST>

```

Which two missing elements are required for this FIELD element to compile successfully?

- A. A PAGE_PARAMETER with NAME="McaseID".
- B. A server interface with PHASE="DISPLAY".
- C. A server interface with PHASE="ACTION".
- D. A server interface call that returns an attribute called 'type'.
- E. An ACTION_CONTROL of type ACTION.

Answer: B, C

QUESTION: 64

A developer has defined an outbound (accessing) web service in Curam SPM. Which build command must they execute?

- A. build database.
- B. build webservice.
- C. build webspereEAR or build weblogicEAR.
- D. buildwsconnector2.

Answer: A

QUESTION: 65

Which two statements about post-processing informational messages are true?

- A. The INFORMATIONAL element is used to display the messages
- B. failOperationO is called to return the messages.
- C. Messages can be logged using the setLoggable method
- D. Messages are added with type Informational Element InformationalType kError.
- E. Informational messages must be converted to a list of structs before they are returned to the client.

Answer: C, D

QUESTION: 66

Which statement about developing pods in IBM Curam SPM is true?

- A. UIM pages that display pods must include PodContainer.vim.
- B. PodLoader classes call Tenderers to generate HTML for each pod.
- C. UIM pages source HTML from the PodContainerInterface to display the pods.
- D. The PodContainerManager reads properties files to determine the pods to display for the page.

Answer: D

QUESTION: 67

Which two class types can be modeled in IBM Curam SPM?

- A. default.
- B. rest.
- C. batch.
- D. facade.
- E. inboundprocess.

Answer: A

QUESTION: 68

An entity class called MyEntity includes a non-database method that is defined using the «blank» stereotype. In which Java class is the method implemented?

- A. curam.intf.MyEntity
- B. curam.base.MyEntity
- C. curam.impl.MyEntity
- D. curam.fact.MyEntity

Answer: A

QUESTION: 69

You want to define infrastructure validation for MYDOMAIN, which is based on SVRJNT64. Which validation property can you define for MYDOMAIN?

- A. Pattern_Match.
- B. Enable_Validation.
- C. Maximum_Size.
- D. Custom_Validation_Function_Name.

Answer: B

QUESTION: 70

Which statement describes the purpose of the Persistence Infrastructure Adapter?

- A. It translates high-level data requests to entity operations.
- B. It maps calls from facade classes to handcrafted process classes.
- C. It dispatches persistence events to their listeners.
- D. It binds Entity interfaces to replaceable implementations.

Answer: A

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!