

QUESTIONS & ANSWERS

Kill your exam at first Attempt



IBM

C7010-010

IBM Curam V6.0.4, Development



QUESTION: 47

Which of the following statements about aggregation in Cúram are correct? Which of the following statements about aggregation in Cúram are correct?

- A. An entity may aggregate another entity.
- B. A struct may aggregate an entity.
- C. A struct may aggregate another struct.
- D. An entity may aggregate a struct.

Answer: B, C

QUESTION: 48

Which of the following represents the correct approach for customizing curam-config.xml compliantly?

- A. Create a file ending in config.xml in the custom folder containing the changes
- B. Create a file ending in -config.xml in the custom folder containing the changes
- C. Create a file ending in Config.xml in the custom folder containing the changes
- D. Change curam-config.xml in place

Answer: B

QUESTION: 49

Review the following model:



Based on the model shown above, what will be the result of a build generated command?

- A. Build Failed: The entity named TheEntity cannot have a non-default stereotyped operation
- B. Build Successful (Warning: Unrecognized stereotype 'blank' in entity named TheEntity)
- C. Build Failed: The entity named TheEntity defines an operation stereotyped using a reserved keyword 'blank'
- D. Build Successful

Answer: B

QUESTION: 50

Suppose that MessageFile.xml contains the following message identifier: ERR_ENTRY_NOT_FOUND Which of the following is the valid way to create a Cúram exception that uses this message? Which of the following is the valid way to create a Cúram exception that uses this message?

- A. Exception e = new Exception(MESSAGEFILE.ERR_ENTRY_NOT_FOUND);
- B. ApplicationException ae = new ApplicationException(MessageFile, ERR_ENTRY_NOT_FOUND);
- C. ApplicationException ae = new ApplicationException(MESSAGEFILE.ERR_ENTRY_NOT_FOUND);
- D. ApplicationException ae = new ApplicationException(ERR_ENTRY_NOT_FOUND);

Answer: C

QUESTION: 51

The variable project.package stores the root name of a Cúram application, for example, project.package=serverworkshop. The variable project.package stores the root name of a Cúram application, for example, project.package=serverworkshop. This variable is stored in which file?

- A. curam-config.xml
- B. Application.prx
- C. Bootstrap.properties
- D. datamanager_config.xml
- E. Curam.properties

Answer: B

QUESTION: 52

Which of the following statements about SQL host variables in Cúram are true?

- A. All parameter host variables must be included in the argument struct.
- B. All host variables must be prefixed by a colon.
- C. All return host variables must be included in the return struct.
- D. Host variables are not case sensitive.
- E. In custom entity SQL, each host variable should consist of the data type plus variable name.

Answer: A, B, C

QUESTION: 53

Which two of the following statements about VIM files are true? [Select 2]

- A. They contain common fragments of UIM pages for reuse
- B. They require corresponding properties files
- C. They can contain any of the UIM elements supported by a UIM file
- D. They must contain a PAGE_ID element

Answer: A, B

QUESTION: 54

Which of the following are fundamental data types in the Cúram model?

- A. SVR_MONEY
- B. SVR_LONG
- C. SVR_DATE
- D. SVR_CODE
- E. SVR_BOOLEAN

Answer: A, C, E


QUESTION: 55

If stereotyped methods were included in an entity class MyEntity, the implementation of

these methods displays in which Java class?

- A. curam.impl.MyEntity
- B. curam.base.MyEntity
- C. curam.fact.MyEntity
- D. curam.intf.MyEntity

Answer: B



For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!