QUESTIONS & ANSWERS

Kill your exam at first Attempt





ExtremeNetworks

EW0-200

Extreme Networks Associate







QUESTION: 216

What is the proper CLI command syntax to create a user-level account for johndoe?

- A. create user account johndoe
- B. create account user johndoe
- C. create account johndoe user
- D. None of these.

Answer: B

QUESTION: 217

The command _____ shows all information necessary for support by Extreme Networks?

Answer: SHOWTECH

QUESTION: 218

What information is provided by the CLI command: show version? (Choose all three that apply)

- A. The ExtremeWare software image
- B. The MAC address of the switch
- C. The Switch Serial Number
- D. The BootROM version

Answer: A, C, D

OUESTION: 219

When a bridge receives an Ethernet frame with an unknown destination MAC address, what does it do?

- A. Disable the ingress Ethernet port.
- B. Floods the Ethernet frame to all other ports.
- C. Set the egress ports in forwarding mode.
- D. Set the egress ports in learning mode.

Answer: B

QUESTION: 220

Prior to downloading a new software image to an Extreme switch using the network, you are required to place the software image in a file on a TFTP server that is accessible on the network.

- A. TRUE
- B. FALSE

Answer: A

QUESTION: 221

ExtremeWare does not support the exterior gateway protocol ?BGP4 in any of the Extreme Networks switch products.

A. TRUE

B. FALSE

Answer: B

OUESTION: 222

Is this a valid CLI command: enable ignore-stp vlan default?

A. TRUE

B. FALSE

Answer: A

QUESTION: 223

ExtremeWare supports ECMP for which of the following routes? (Choose all that apply)

A. OSPF routes

B. RIP routes

C. Static routes

D. None of the above

Answer: A, C

QUESTION: 224

ExtremeWare provides two methods, RADIUS and TACACS+, to authenticate users who login to the switch. However, you cannot simultaneously enable the switch for both methods.

A. TRUE

B. FALSE

Answer: A

QUESTION: 225

Each IP address and mask configured for a VLAN must represent a unique IP subnet. However, the VLAN aggregation option allows you to use the same IP subnet on different VLANs.

- A. TRUE
- B. FALSE

Answer: A

QUESTION: 226

What command would you use to add a new SNMP read-write community string called u.nt.b9?on your switch?

- A. config snmp community readwrite eu.nt.b9
- B. config snmp add community readwrite eu.nt.b9
- C. create snmp readwrite community eu.nt.b9
- D. create snmp add readwrite community eu.nt.b9

Answer: B

OUESTION: 227

Which CLI command is used to see the active connections to the switch.

- A. show session
- B. show connection
- C. show user
- D. show account

Answer: A

QUESTION: 228

What CLI command was executed and results in the system returning an error as follows:

ERROR: There is a protocol conflict with adding port 1 untagged to vlan "corporate". Either add this port as tagged or assign another protocol to this vlan

- A. config corporate add port 1
- B. config vlan corporate add port 1 tagged
- C. config port 1 add vlan corporate
- D. None of these

Answer: A

OUESTION: 229

What is the result when the CLI command: disable stpd port 4:1-4:8 is entered,?

- A. Ports 4:1-4:8 are placed into the blocking state.
- B. Ports 4:1-4:8 are placed into the listening state.
- C. Ports 4.1-4.8 are placed into the learning state.
- D. Ports 4:1-4:8 are placed into the forwarding state.

Answer: D

QUESTION: 230

What is the maximum number of IP host addresses that fit in this network 172.168.128.96/27?

- A. 14
- B. 30
- C. 62
- D. 254

Answer: B

OUESTION: 231

The OSPF Area 0.0.0.0 is always pre-configured on an Extreme switch as a area type.

- A. Stub
- B. NSSA
- C. Normal
- D. None of these

Answer: C

QUESTION: 232

In spanning tree algorithm, the switch with the ______ is elected as the root bridge.

- A. most number of active ports
- B. lowest numerical bridge ID
- C. highest numerical bridge ID
- D. None of these

Answer: B

OUESTION: 233

What happens if the following CLI command is executed? create fdbentry 00:E0:2B:12:34:56 vlan

corporate port 4

- A. Adds a temporary static entry to the FDB
- B. Adds a permanent static entry to the IPFDB
- C. Adds a permanent static entry to the IPARP
- D. Adds a permanent static entry to the FDB

Answer: D

QUESTION: 234

What is the well-known port number for Telnet?

- A. 25
- B. 110
- C. 22
- D. 23

Answer: D

QUESTION: 235

In an Extreme switch, if MAC address learning is disabled on a port, no traffic destined to a permanent MAC address matching that port number will be forwarded, not even broadcast traffic.

- A. TRUE
- B. FALSE

Answer: B

QUESTION: 236

If you change and then forget the only remaining password for the CLI Administrator account ability to log on to an Extreme switch, how can you recover the password without loosing the configuration?

- A. Provide dial-up, modem access to the switch console port for Extreme support to dial in
- B. Contact the local Extreme Systems Engineer
- C. You can RMA the switch and return to Extreme Corporate offices
- D. All of these

Answer: D

OUESTION: 237

BGP, OSPF and RIP are interior gateway protocols supported by ExtremeWare.

- A. TRUE
- B. FALSE

Answer: B

QUESTION: 238

What is the meaning of the following CLI command: con ipr a bl 10.11.12.0/24?

- A. Configure a blackhole route that blocks traffic destined to the 10.11.12.0/24 network.
- B. Configure a default route that forwards traffic destined to the 10.11.12.0/24 network.
- C. Configure a static route that forwards traffic destined to the 10.11.12.0/24 network.
- D. None of these.

Answer: A

QUESTION: 239

The default settings for the console port of an ?chipset switch are: 9600 bps/8 data-bits/one stop-bit/no parity/software flow control

- A. TRUE
- B. FALSE

Answer: A

QUESTION: 240

The Alpine series switches are provided with a passive backplane.

- A. TRUE
- B. FALSE

Answer: B

For More exams visit https://killexams.com/vendors-exam-list

