

QUESTIONS & ANSWERS

Kill your exam at first Attempt



SPLK-2001 Dumps
SPLK-2001 Braindumps
SPLK-2001 Real Questions
SPLK-2001 Practice Test
SPLK-2001 dumps free



Splunk

SPLK-2001

Splunk Certified Developer

<http://killexams.com/pass4sure/exam-detail/SPLK-2001>



Question: 57

Which of the following ensures that quotation marks surround the value referenced by the token?

- A. \$token_name|s\$
- B. \$token_name\$
- C. (\$token_name\$)
- D. \ \$token_name\$ \

Answer: A

Reference:

<https://docs.splunk.com/Documentation/Splunk/8.1.2/Viz/tokens>

Question: 58

Which of the following is an intended use of HTTP Event Collector tokens?

- A. A cookie.
- B. An HTTP header field.
- C. A JSON field in the HTTP request.
- D. A password in conjunction with login.

Answer: B

Reference:

<https://docs.splunk.com/Documentation/Splunk/8.1.2/Data/FormateventsforHTTPEventCollector>

Question: 59

When the search/jobs REST endpoint is called to execute a search, what can be done to reduce the results size in the results? (Select all that apply.)

- A. Use a generating search.
- B. Remove unneeded fields.
- C. Truncate the data, using selective functions.
- D. Summarize data, using analytic commands.

Answer: AB

Question: 60

Which of the following is a customization option for the Open in Search panel link button?

- A. Display the refresh time.
- B. Show the Export Results button.
- C. Show link buttons at the bottom of a panel.
- D. Define an alternative search or target view to use.

Answer: D

Question: 61

Which of the following are valid parent elements for the event action shown below? (Select all that apply.)

`<set token=Token Name>sourcetype=$click.value|s$</set>`

- A. <eval>
- B. <change>
- C. <change> <condition>

D. <drilldown> <condition>

Answer: AC

Question: 62

In a DELETE request, what would omitting the value of _key from the REST endpoint do?

- A. Clean the KV store, deleting all content.
- B. Produce the syntax error Key value missing.
- C. Cause all records in a collection to be deleted.
- D. Mean that the _key value must be passed as an argument.

Answer: C

Question: 63

Which of the following is a way to monitor app performance? (Select all that apply.)

- A. Using Splunk logs.
- B. Using the search job inspector.
- C. Using the Monitoring Console.
- D. Using the storage/collections/config REST endpoint.

Answer: AC

Question: 64

Which files within an app contain permissions information? (Select all that apply.)

- A. local/metadata.conf
- B. metadata/local.meta
- C. default/metadata.conf
- D. metadata/default.meta

Answer: CD

Reference:

<https://dev.splunk.com/enterprise/docs/devtools/customsearchcommands/manageaccesstocustom/>

Question: 65

Data can be added to a KV store collection in which of the following format(s)?

- A. JSON
- B. JSON, XML
- C. JSON, XML, CSV
- D. JSON, XML, CSV, TXT

Answer: A

Reference:

<https://dev.splunk.com/enterprise/docs/developapps/manageknowledge/kvstore/usingconfigurationfiles/>

Question: 66

For a KV store, a lookup stanza in the transforms.conf file must contain which of the following? (Select all that apply.)

- A. collection
- B. fields_list
- C. external_type

- D. internal_type

Answer: AB

Reference:

<https://docs.splunk.com/Documentation/Splunk/8.1.2/Knowledge/ConfigureKVstorelookups>

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!