QUESTIONS & ANSWERS

Kill your exam at first Attempt





Veritas

VCS-352

Administration of Storage Foundation and HA 6.0 for Windows







QUESTION: 278

Under which tab can the active partition from the Symantec Recovery Disk be changed?

- A. Recovery
- B. Analyze
- C. Network
- D. Utilities

Answer: D

QUESTION: 279

Which benefit specific to Campus clusters does Veritas Storage Foundation 6.0 for Windows offer?

- A. storage live migration
- B. extended attributes
- C. replicated data
- D. site aware allocation

Answer: D

QUESTION: 280

Which command is used to write the data in memory to a disk after modifying a cluster configuration?

- A. hacf -verify
- B. haconf -dump
- C. hares -modify
- D. hasys -save

Answer: B

QUESTION: 281

What is the recommended number of NICs per system to configure a two node cluster?

- A. 2
- B. 3
- C. 4
- D. 5

Answer: B

QUESTION: 282

Which three media or disk storage devices can recovery points be saved to? (Select three.)

- A. CD/DVD
- B. Tape Drives
- C. FireWire Drives
- D. SAN/NAS
- E. VTLs

Answer: A, C, D

QUESTION: 283

What must be done to enable searching within a recovery point?

- A. Install a search engine
- B. Register Google Desktop with Symantec Backup Exec System Recovery 8.5
- C. Enable Microsoft Desktop support
- D. Enable search engine support within the backup

Answer: D

QUESTION: 284

A mirrored volume displays a status of Degraded. What should be checked to determine the cause of this state?

- A. whether the volume is regenerating
- B. whether the volume has lost fault tolerance
- C. whether the volume is being formatted
- D. whether the volume has started resynchronizing

Answer: B

QUESTION: 285

An administrator needs to remove a system from a 32 node cluster. The administrator launches the Cluster Configuration Wizard and gets to the Cluster Configuration Options page. Which option should the administrator select to remove the system?

- A. Modify Existing Cluster
- B. Edit Existing Cluster
- C. Reconfigure
- D. RemoveNodes

Answer: B

QUESTION: 286

An application is experiencing resource failures. The application administrator wants Veritas Cluster Server (VCS) to place the offending resource in an administrative wait state. The rest of the application resources should remain online after the resource failure. Which service group attribute should the administrator use?

- A. Frozen
- B. FaultPropagation
- C. AutoFailOver
- D. ManageFaults

Answer: D

For More exams visit https://killexams.com/vendors-exam-list



